

# Home Frag Diffuser+ 30220633

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 19/2/2020

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Home Frag Diffuser+30220633

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Household

##### 1.2.2. Uses advised against

No information available

#### 1.3. Details of the supplier of the safety data sheet

Qingdao Kingking Applied Chemistry Co., Ltd  
24/25F, Futai Plaza No. 18 Hongkong Mid Road, Qingdao, China 266072  
T +86-532-89061555-5309 - F +86-532-89061888-5363  
moxinxin@chinakingking.com

#### 1.4. Emergency telephone number

Emergency number : +86-532-85718989

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — H412  
Chronic Hazard, Category 3

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Contains (dipentene; Benzyl Salicylate; 2-(4-tert-butylbenzyl)propionaldehyde; geranyl acetate; Reaction mass of Benzenepropanal, 4-ethyl-alpha,alpha-dimethyl- and 3-(2-ethylphenyl)--2,2-dimethylpropanal; 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one). May produce an allergic skin reaction.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : No signal word is used.  
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.  
Precautionary statements (CLP) : P273 - Avoid release to the environment.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

PBT: not yet assessed  
vPvB: not yet assessed

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dipropylene glycol monomethyl ether(DPM)	(CAS-No.) 34590-94-8 (EC-No.) 252-104-2	85	Not classified
2-(2-ethoxyethoxy)ethanol	(CAS-No.) 111-90-0 (EC-No.) 203-919-7	8.103	Not classified
(2-methoxymethylethoxy)propanol	(CAS-No.) 34590-94-8 (EC-No.) 252-104-2	1.5	Not classified

# Home Frag Diffuser+30220633

## Safety Data Sheet

according to Regulation (EU) 2015/830

30220633	dipentene	(CAS-No.) 138-86-3 (EC-No.) 205-341-0	0.802	H226- H304- H315- H317- H400- H410-
	A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; trans-tetrahydro-2-isobutyl-4-methylpyran-4-ol	(CAS-No.) 63500-71-0 (EC-No.) 405-040-6	0.75	H319-
	Benzyl Salicylate	(CAS-No.) 118-58-1 (EC-No.) 204-262-9	0.45	H302- H317- H319- H412-
	2-(4-tert-butylbenzyl)propionaldehyde	(CAS-No.) 80-54-6 (EC-No.) 201-289-8	0.45	H302- H315- H317- H361F- H412-
	2,6-dimethyloct-7-en-2-ol	(CAS-No.) 18479-58-8 (EC-No.) 242-362-4	0.3	H315- H319-
	2-phenylethanol	(CAS-No.) 60-12-8 (EC-No.) 200-456-2	0.153	H302- H319-
	benzyl acetate	(CAS-No.) 140-11-4 (EC-No.) 205-399-7	0.15	H412-
	geranyl acetate	(CAS-No.) 105-87-3 (EC-No.) 203-341-5	0.15	H315- H317- H412-
	phenethyl acetate	(CAS-No.) 103-45-7 (EC-No.) 203-113-5	0.15	Not classified
	Citronellyl acetate	(CAS-No.) 150-84-5 (EC-No.) 205-775-0	0.15	H315- H411-
	Reaction mass of Benzenepropanal, 4-ethyl-alpha,alpha-dimethyl- and 3-(2-ethylphenyl)-2,2-dimethylpropanal	(CAS-No.) 67634-14-4 67634-15-5 (EC-No.) 266-818-7 266-819-2 916-329-6	0.15	H315- H317- H400- H411
	(Z)-3-hexenyl salicylate	(CAS-No.) 65405-77-8 (EC-No.) 265-745-8	0.15	H400- H410-
	3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	(CAS-No.) 127-51-5 (EC-No.) 204-846-3	0.1455	H315- H319- H317- H411-

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: If symptoms persist, call a physician.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: No information available.
------------------	-----------------------------

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: No information available.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Thermal decomposition generates : Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

# Home Frag Diffuser+30220633

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb remaining liquid with sand or inert absorbent and remove to safe place.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

#### 7.3. Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Dipropylene glycol monomethyl ether (34590-94-8)		
EU	IOELV TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	50 ppm
Austria	MAK (mg/m <sup>3</sup> )	307 mg/m <sup>3</sup> (mixed isomers)
Austria	MAK (ppm)	50 ppm (mixed isomers)
Austria	MAK Short time value (mg/m <sup>3</sup> )	614 mg/m <sup>3</sup> (isomers mixtures)
Austria	MAK Short time value (ppm)	100 ppm (isomers mixtures)
Belgium	Limit value (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	50 ppm
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Bulgaria	OEL TWA (ppm)	50 ppm
Croatia	GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Croatia	GVI (granična vrijednost izloženosti) (ppm)	50 ppm
Cyprus	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Cyprus	OEL TWA (ppm)	50 ppm
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	309 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (ppm)	50 ppm
Estonia	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Estonia	OEL TWA (ppm)	50 ppm
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	310 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	50 ppm
France	VME (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup> (restrictive limit)
France	VME (ppm)	50 ppm (restrictive limit)
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	310 mg/m <sup>3</sup> (isomer mixture)
Germany	TRGS 900 Occupational exposure limit value (ppm)	50 ppm (isomer mixture)
Gibraltar	Eight hours mg/m <sup>3</sup>	308 mg/m <sup>3</sup>
Gibraltar	Eight hours ppm	50 ppm
Greece	OEL TWA (mg/m <sup>3</sup> )	600 mg/m <sup>3</sup>

# Home Frag Diffuser+30220633

## Safety Data Sheet

according to Regulation (EU) 2015/830

Dipropylene glycol monomethyl ether (34590-94-8)		
Greece	OEL TWA (ppm)	100 ppm
Greece	OEL STEL (mg/m <sup>3</sup> )	900 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	150 ppm
Hungary	AK-érték	308 mg/m <sup>3</sup>
Hungary	CK-érték	308 mg/m <sup>3</sup> (Substances with European indicative limits (96/94/EC, 2000/39/EC, 2006/15/EC, 2009/161/EU), which currently has no peak limit concentration. In these cases, Annex 3.1. should be used exercised)
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (ppm)	50 ppm
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	924 mg/m <sup>3</sup> (calculated)
Ireland	OEL (15 min ref) (ppm)	150 ppm (calculated)
Italy	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Italy	OEL TWA (ppm)	50 ppm
Latvia	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Latvia	OEL TWA (ppm)	50 ppm
Lithuania	IPRV (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Lithuania	IPRV (ppm)	50 ppm
Lithuania	TPRV (mg/m <sup>3</sup> )	450 mg/m <sup>3</sup>
Lithuania	TPRV (ppm)	75 ppm
Malta	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Malta	OEL TWA (ppm)	50 ppm
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Poland	NDS (mg/m <sup>3</sup> )	240 mg/m <sup>3</sup> (mixture of isomers)
Poland	NDSCh (mg/m <sup>3</sup> )	480 mg/m <sup>3</sup> (mixture of isomers: Propanol, 1(or 2)-(2-methoxymethylethoxy)-, Propanol, 1-(1-methoxymethylethoxy)
Portugal	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL TWA (ppm)	50 ppm (indicative limit value)
Portugal	OEL STEL (ppm)	150 ppm
Romania	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Romania	OEL TWA (ppm)	50 ppm
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Slovakia	NPHV (priemerná) (ppm)	50 ppm
Slovakia	NPHV (Hraničná) (mg/m <sup>3</sup> )	568 mg/m <sup>3</sup>
Slovenia	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Slovenia	OEL TWA (ppm)	50 ppm
Spain	VLA-ED (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup> (indicative limit value)
Spain	VLA-ED (ppm)	50 ppm (indicative limit value)
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Sweden	nivågränsvärde (NVG) (ppm)	50 ppm
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	450 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (ppm)	75 ppm
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	50 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	924 mg/m <sup>3</sup> (calculated)
United Kingdom	WEL STEL (ppm)	150 ppm (calculated)
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Norway	Grenseverdier (AN) (ppm)	50 ppm
Norway	Grenseverdier (Korttidsverdi) (mg/m <sup>3</sup> )	375 mg/m <sup>3</sup> (value calculated)
Norway	Grenseverdier (Korttidsverdi) (ppm)	75 ppm (value calculated)
Switzerland	MAK (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>

# Home Frag Diffuser+30220633

## Safety Data Sheet

according to Regulation (EU) 2015/830

Dipropylene glycol monomethyl ether (34590-94-8)		
Switzerland	MAK (ppm)	50 ppm
Switzerland	KZGW (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Switzerland	KZGW (ppm)	50 ppm
Turkey	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Turkey	OEL TWA (ppm)	50 ppm
Australia	TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Australia	TWA (ppm)	50 ppm
Canada (Quebec)	VECD (mg/m <sup>3</sup> )	909 mg/m <sup>3</sup>
Canada (Quebec)	VECD (ppm)	150 ppm
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	606 mg/m <sup>3</sup>
Canada (Quebec)	VEMP (ppm)	100 ppm
USA - ACGIH	ACGIH TWA (ppm)	100 ppm
USA - ACGIH	ACGIH STEL (ppm)	150 ppm
USA - IDLH	US IDLH (ppm)	600 ppm
USA - NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	600 mg/m <sup>3</sup>
USA - NIOSH	NIOSH REL (TWA) (ppm)	100 ppm
USA - NIOSH	NIOSH REL (STEL) (mg/m <sup>3</sup> )	900 mg/m <sup>3</sup>
USA - NIOSH	NIOSH REL (STEL) (ppm)	150 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	600 mg/m <sup>3</sup>
USA - OSHA	OSHA PEL (TWA) (ppm)	100 ppm
D-Limonene (5989-27-5)		
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	140 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	25 ppm
Finland	HTP-arvo (15 min)	280 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min) (ppm)	50 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	28 mg/m <sup>3</sup> (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	TRGS 900 Occupational exposure limit value (ppm)	5 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	140 mg/m <sup>3</sup>
Norway	Grenseverdier (AN) (ppm)	25 ppm
Norway	Grenseverdier (Korttidsverdi) (mg/m <sup>3</sup> )	175 mg/m <sup>3</sup> (value calculated)
Norway	Grenseverdier (Korttidsverdi) (ppm)	37.5 ppm (value calculated)
Switzerland	MAK (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup>
Switzerland	MAK (ppm)	7 ppm
Switzerland	KZGW (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup>
Switzerland	KZGW (ppm)	14 ppm

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

# Home Frag Diffuser+30220633

## Safety Data Sheet

according to Regulation (EU) 2015/830

### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Clear.
Odour	: No data available.
Odour threshold	: No data available
pH	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Critical temperature	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Critical pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available
Lower explosive limit (LEL)	: No data available
Upper explosive limit (UEL)	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Home Frag Diffuser+30220633

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Dipropylene glycol monomethyl ether (34590-94-8)	
LD50 oral rat	5400 µl/kg
LD50 dermal rabbit	9500 mg/kg

Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl- (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg

RCS-EUSDS-E12893-Lily Aldehyde Plus (80-54-6)	
LD50 oral rat	1390 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LD50 dermal	> 2000 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 0.18 mg/l (7h)

Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg

D-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg

Bicyclo[3.1.1]hept-2-ene-2-ethanol, 6,6-dimethyl-, acetate (128-51-8)	
LD50 oral rat	3 g/kg

3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- (127-51-5)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)- (31906-04-4)	
LD50 oral rat	3250 µl/kg

Skin corrosion/irritation	: Not classified	pH: No data available
Serious eye damage/irritation	: Not classified	pH: No data available
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: Harmful to aquatic life with long lasting effects.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.

Dipropylene glycol monomethyl ether (34590-94-8)	
LC50 fish 1	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)

RCS-EUSDS-E12893-Lily Aldehyde Plus (80-54-6)	
EC50 Daphnia 1	10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Linalool (78-70-6)	
EC50 Daphnia 1	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 96h algae (1)	88.3 mg/l (Species: Desmodesmus subspicatus)

# Home Frag Diffuser+30220633

## Safety Data Sheet

according to Regulation (EU) 2015/830

<b>D-Limonene (5989-27-5)</b>	
LC50 fish 1	0.619 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

### 12.2. Persistence and degradability

<b>Home Frag Diffuser+EFF281810</b>	
Persistence and degradability	No information available.

### 12.3. Bioaccumulative potential

<b>Home Frag Diffuser+EFF281810</b>	
Log Pow	No data available
Log Kow	No data available
Bioaccumulative potential	No information available.

<b>Dipropylene glycol monomethyl ether (34590-94-8)</b>	
Log Pow	-0.064 (at 20 °C)

<b>RCS-EUSDS-E12893-Lily Aldehyde Plus (80-54-6)</b>	
Log Pow	4.2 (at 24 °C)

<b>Linalool (78-70-6)</b>	
Log Pow	2.84 - 3.1 (at 25 °C)

### 12.4. Mobility in soil

<b>Home Frag Diffuser+EFF281810</b>	
Ecology - soil	No information available.

### 12.5. Results of PBT and vPvB assessment

<b>Home Frag Diffuser+EFF281810</b>	
PBT: not yet assessed	
vPvB: not yet assessed	

### 12.6. Other adverse effects

Other adverse effects : No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### 14.6. Special precautions for user

#### - Overland transport

Not applicable

#### - Transport by sea

Not applicable

#### - Air transport

Not applicable

#### - Inland waterway transport

Not applicable



# Home Frag Diffuser+30220633

## Safety Data Sheet

according to Regulation (EU) 2015/830

### - Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

##### Germany

VwVwS Annex reference : Water hazard class (WGK) 2, significant hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

##### Denmark

Recommendations Danish Regulation : The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources : LOLI.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H- and EUH-statements:

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation
H361f	Suspected of damaging fertility
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*