

## SAFETY DATA SHEET

SECTION 1: Identification of t	the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	Lenor Crease Releaser - Spring Awakening	
Product number	BLE482	
UFI	UFI: ADA1-U0D2-M00C-76C9	
1.2. Relevant identified uses of	of the substance or mixture and uses advised against	
Identified uses	Fabric Conditioner	
Uses advised against	Use only for intended applications.	
1.3. Details of the supplier of	the safety data sheet	
Supplier	Star Brands Limited Unit E Millshaw Business Living Global Avenue Leeds LS11 8PR England +44 (0) 113 2666 300 +44 (0) 113 2666 690 sds@starbrandsltd.co.uk	
Contact person	sds@starbrandsltd.co.uk	
1.4. Emergency telephone nu	mber	
Emergency telephone	+44 (0) 113 2666 300 (09.00-17.00 Mon-Fri)	
National emergency telephone 111 (24hours UK) number		
SECTION 2: Hazards identific	cation	
2.1. Classification of the subs	tance or mixture	
Classification (EC 1272/2008)	-	
Physical hazards	Not Classified	
Health hazards	Not Classified	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard statements	NC Not Classified	
Precautionary statements	<ul> <li>P102 Keep out of reach of children.</li> <li>P103 Read label before use.</li> <li>P261 Avoid breathing spray.</li> <li>P501 Dispose of contents/ container in accordance with local regulations.</li> </ul>	

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

3.2. Mixtures		
Dow Corning HV 496 Emulsion		5-10%
CAS number: —		
<b>Classification</b> Eye Irrit. 2 - H319		
ethanol		1-5%
CAS number: 64-17-5	EC number: 200-578-6	
<b>Classification</b> Flam. Liq. 2 - H225 Eye Irrit. 2 - H319		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.	
Ingestion	Keep affected person warm and at rest. Do not induce vomiting unless under the direction of medical personnel. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues. If in doubt, get medical attention promptly.	
Skin contact	Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention if symptoms are severe or persist.	
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse cautiously with water for several minutes. Get medical attention immediately. Continue to rinse.	
4.2. Most important symptoms and effects, both acute and delayed		
General information	The product is considered to be a low hazard under normal conditions of use. See Section 11 for additional information on health hazards.	
Inhalation	The product is considered to be a low hazard under normal conditions of use.	
Ingestion	The product is considered to be a low hazard under normal conditions of use. May be harmful if swallowed.	
Skin contact	Prolonged skin contact may cause temporary irritation. Skin irritation should not occur when used as recommended.	
Eye contact	May cause discomfort.	
4.3. Indication of any immediate medical attention and special treatment needed		
Notes for the doctor	Treat symptomatically.	
Specific treatments	No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt GET MEDICAL ATTENTION PROMPTLY!	

**SECTION 5: Firefighting measures** 

5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Extinguish with the following media: Foam, carbon dioxide or dry powder.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	The product is non-combustible. The product is not flammable.
Hazardous combustion products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental releas	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid inhalation of vapours. Avoid contact with eyes and prolonged skin contact. Use recommended protective equipment, see section 8. Ensure good ventilation.
For non-emergency personnel	Remove persons for safety reasons
For emergency responders	Wear breathing apparatus if exposed to vapours/spray/gases
6.2. Environmental precautions	S
Environmental precautions	Not considered to be a significant hazard due to the small quantities used. Avoid discharge into drains or watercourses or onto the ground.
6.3. Methods and material for o	containment and cleaning up
Methods for cleaning up	Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Dispose of contents/container in accordance with local regulations.
6.4. Reference to other section	15
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
SECTION 7: Handling and stor	rage
7.1. Precautions for safe hand	ling
Usage precautions	Avoid contact with eyes and prolonged skin contact. Avoid inhalation of vapours and spray/mists. Provide adequate ventilation.
Advice on general occupational hygiene	When using do not eat, drink or smoke. Wash contaminated skin thoroughly after handling.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage precautions	This product should be kept inaccessible to small children and well separated from products intended to be consumed. Store cool and only in original packaging.
Storage class	Unspecified storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure controls	s/Personal protection
8.1. Control parameters	

#### 8.1. Control parameters

#### Occupational exposure limits

#### ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup>

#### methanol

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m<sup>3</sup> Sk WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

#### 8.2. Exposure controls

#### Protective equipment



Appropriate engineering controls	Avoid inhalation of vapours and spray/mists. Provide adequate ventilation.
Eye/face protection	Wear eye protection.
Hand protection	Wear protective gloves made of the following material: Nitrile Gloves Nitrile rubber. Polyvinyl chloride (PVC). It should have a minimum thickness of 0.55mm Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Wash hands thoroughly after handling. Do not smoke in work area.
Respiratory protection	No specific requirements are anticipated under normal conditions of use.
Environmental exposure controls	Ensure all engineering measures mentioned in section 7 of this SDS are in place

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties		
Appearance	Clear liquid.	
Colour	Opaque White.	
Odour	Floral.	
Odour threshold	No specific test data are available.	
рН	pH (concentrated solution): 7.00-8.50	
Melting point	Not applicable.	
Initial boiling point and range	Not available.	
Flash point	This product does not sustain combustion.	
Evaporation rate	No information available.	
Evaporation factor	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits	Not applicable.	

Other flammability	Not applicable.
Vapour pressure	Not known.
Vapour density	Not known.
Relative density	0.980 -0.990g/ml
Bulk density	Not determined.
Solubility(ies)	Soluble in water.
Partition coefficient	Data lacking.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not determined.
Viscosity	Not applicable.
Explosive properties	Not applicable.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
Comments	Information given is applicable to the product as supplied.
9.2. Other information	
Refractive index	No information required.
Particle size	No specific test data are available.
Molecular weight	No information required.
Volatility	Not available.
Saturation concentration	Not applicable.
Critical temperature	Not applicable.
Volatile organic compound	No information required.
SECTION 10: Stability and rea	·
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposition products	

Hazardous decomposition	No known hazardous decomposition products.
products	

•	
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.
Acute toxicity - oral	
Notes (oral LD <sub>50</sub> )	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	40,000.0
Acute toxicity - dermal	
Notes (dermal LD₅o)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	120,000.0
Acute toxicity - inhalation	
Notes (inhalation LC <sub>50</sub> )	Based on available data the classification criteria are not met.
ATE inhalation (gases ppm)	280,000.0
Skin corrosion/irritation Skin corrosion/irritation	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Based on available data the classification criteria are not met.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Based on available data the classification criteria are not met.
Aspiration hazard Aspiration hazard	Based on the available information, classification criteria are not met.
Toxicological information on in	gredients.

#### ethanol

Acute toxicity - or	al
Acute toxicity oral mg/kg)	l <b>(LD₅o</b> 10,740.0
Species	Rat
ATE oral (mg/kg)	10,740.0
Acute toxicity - de	ermal
Acute toxicity den mg/kg)	mal (LD₅₀ 16,001.0
Species	Rabbit
ATE dermal (mg/ł	kg) 16,001.0
	Laurylamine Dipropylenediamine
Acute toxicity - or	al
ATE oral (mg/kg)	100.0
SECTION 12: Ecological inform	nation
12.1. Toxicity	
Toxicity	The product contains a substance which is harmful to aquatic organisms.
Ecological information on ingre	edients.
	ethanol
Acute aquatic tox	icity
Acute toxicity - fis	h LC₅₀, 96 hours: 13000 mg/l, Fish
	Laurylamine Dipropylenediamine
Acute aquatic tox	icity
LE(C)₅₀	$0.01 < L(E)C50 \le 0.1$
M factor (Acute)	10
Chronic aquatic to	oxicity
M factor (Chronic)	) 1
12.2. Persistence and degrada	bility
Persistence and degradability	The product is biodegradable.
12.3. Bioaccumulative potentia	<u> </u>
Bioaccumulative potential	The product is not bioaccumulating.
Partition coefficient	Data lacking.
12.4. Mobility in soil	
Mobility	The product is miscible with water and may spread in water systems.
12.5. Results of PBT and vPvB	assessment
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects		
Other adverse effects	Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.	
SECTION 13: Disposal consid	derations	
13.1. Waste treatment method	ds	
General information	The generation of waste should be minimised or avoided wherever possible. Dispose of waste product or used containers in accordance with local regulations	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Waste class	The waste code classification is to be carried out according to the European Waste Catalogue (EWC).	
SECTION 14: Transport inform	nation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
Road transport notes	Not regulated.	
Rail transport notes	Not regulated.	
Sea transport notes	Not classified.	
Air transport notes	Not classified.	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping nam		
Not applicable.		
14.3. Transport hazard class(	es)	
Not regulated.		
14.4. Packing group		
Not applicable.		
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for	user	
Ensure that persons transporting the product know what to do in the event of an accident or spillage. Always transport in closed containers that are upright and secure.		
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not relevant.	

SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislationRegulation (EC) No 1907/2006 of the European Parliament and of the Council of 18<br/>December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of<br/>Chemicals (REACH) (as amended).<br/>Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March<br/>2004 on detergents (as amended).<br/>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16<br/>December 2008 on classification, labelling and packaging of substances and mixtures (as<br/>amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### **SECTION 16: Other information**

Abbreviations and acronyms	ATE: Acute Toxicity Estimate.
used in the safety data sheet	ADR: European Agreement concerning the International Carriage of Dangerous Goods by
	Road.
	ADN: European Agreement concerning the International Carriage of Dangerous Goods by
	Inland Waterways.
	CAS: Chemical Abstracts Service.
	DNEL: Derived No Effect Level.
	GHS: Globally Harmonized System.
	LC₅₀: Lethal Concentration to 50 % of a test population.
	LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
	PNEC: Predicted No Effect Concentration.
	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation
	(EC) No 1907/2006.
	SVHC: Substances of Very High Concern.
	vPvB: Very Persistent and Very Bioaccumulative.
	IARC: International Agency for Research on Cancer.
	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978.
	cATpE: Converted Acute Toxicity Point Estimate.
	EC₅o: 50% of maximal Effective Concentration.
	LOAEC: Lowest Observed Adverse Effect Concentration.
	LOAEL: Lowest Observed Adverse Effect Level.
	LOEC: Lowest Observed Effect Concentration.
	DMEL: Derived Minimal Effect Level.
	RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
	IATA: International Air Transport Association.
	IMDG: International Maritime Dangerous Goods.
Classification abbreviations	Acute Tox. = Acute toxicity
and acronyms	Aquatic Acute = Hazardous to the aquatic environment (acute)
	Aquatic Chronic = Hazardous to the aquatic environment (chronic)
	Asp. Tox. = Aspiration hazard
	Carc. = Carcinogenicity
	STOT RE = Specific target organ toxicity-repeated exposure
	STOT SE = Specific target organ toxicity-single exposure
	Eye Dam. = Serious eye damage
	Met. Corr. = Corrosive to metals
	Skin Corr. = Skin corrosion
	Skin Irrit. = Skin irritation
	Skin Sens. = Skin sensitisation

Revision date	14/01/2020
Revision	2
Supersedes date	07/05/2015
SDS number	6056
Hazard statements in full	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.